
# DECORATIVE CONCRETE SOLUTIONS



### DECORATIVE CONCRETE FOR LIVING SPACES



strong, durable & economical



# Add value and style to your home with Parchem's range of decorative concrete

Parchem Construction Supplies is Australia's leading manufacturer of innovative decorative concrete products. Our range of decorative concrete products include stamped impression concrete, stencil patterned concrete, coloured concrete, resurfacing products and sealers plus internal flooring.

Our Living Concrete brochure was developed to help guide you through your decorative concrete project.

### Benefits of Parchem's Decorative Concrete

Australian Made | Green Option Available | Slip Resistance | Low Maintenance







### **New Concrete**

Your options are endless with new concrete. One of the best attributes of decorative concrete is that it can assume any shape, design, texture and pattern. With new concrete, you are starting from a clean slate and you have a wide range of options to create that stylish finish for your home. For external projects, the main applications are stamped, stencil and coloured concrete. These can be customised to your preferred colour, design and texture. Parchem's Living Concrete brochure provides you with useful information in planning your project and selecting your final finish.

### **Existing Concrete**

If you have an existing concrete space which needs uplifting, then look into our resurfacing solutions.

Concrete resurfacing is a flexible and cost effective option, with a range of colours and finishes to choose from.

Resurfacing is ideal for restoring tired looking concrete areas, driveways and pathways, or complementing your new space with a fresh, contemporary look. This brochure will outline a number of options available to you.

### Internal Flooring

Parchem's internal flooring products provide limitless design and flexibility. Whether it is a garage, kitchen or activity room, you can create a hard wearing surface that suits your requirements and style. Check out Parchem's Mastershield products for internal flooring.



# Deciding on the look and style of your project

When deciding on the style or look of your decorative concrete project, you may want to consider the environment, your home features, colours and the materials around the project.

- Consider the home's natural environment (e.g. bush, urban, beach). Colour schemes generally blend in with the natural surrounds (e.g. green/greys bushland; yellows/whites - beach/seaside).
- Think about the features of your home which you would like highlighted.
- Remember that colours under direct sunlight will always appear lighter. Don't be afraid to choose darker tones on your exterior. Similarly colours which are high in chroma will appear brighter. Exterior schemes are usually greyed down.
- Consider the existing substrates (colours of bricks, roofing, guttering, garage doors, windows, fencing, pools, tiling).
- You may need to review Council restrictions e.g. heritage listed areas which limit the choice of designs
- Position or direction in which the home faces. North facing areas will have strong sunlight throughout the day; south facing areas will be dimly lit.
- Whether you are using Colorbond® steel colours in your garage doors, framing, roof tiles or fencing, it is important to complement your concrete colour to that scheme.



## CHOOSING YOUR DECORATIVE CONCRETE APPLICATION

### STENCIL PATTERN CONCRETE

# Depending on the style you choose, Parchem products can create the look you want

With the wide range of colours and patterns available for these solutions, you will surely find a decorative concrete finish that complements your style.



### Stencil Pattern Concrete

Stencil pattern concrete is an effect achieved by applying colours and patterns to freshly laid wet concrete.

Popular looks: tile, brick, pavers, cobbled stone.

More info see page 7



### Stamped Impression Concrete

Stamped impression concrete is a system of adding colour, pattern and texture to a plain concrete slab at the time of pouring.

Popular looks: slate, rock, cobbled stone, timber

More info see page 8



### Concrete Resurfacing

Our spray on resurface coatings bond rigidly to existing suitable concrete surfaces and help create a slip resistant, textured, decorative surface with excellent durability and abrasion resistance.

Popular looks: exposed aggregate, tile, brick, pavers

More info see page 9



### Coloured Concrete

Coloured concrete is a high quality pigment blend that is mixed into concrete prior to pouring. This gives a depth of colour throughout the entire laid slab allowing for long term colour performance, even if surface scuffing or chipping occurs.

Popular looks: exposed aggregate, tile, brick, pavers

More info see page 10



### Mastershield

Mastershield is our polymer flooring range and it is ideal for both domestic and commercial use giving a smooth seamless finish.

Popular looks: flake floor, seamless gloss

More info see page 11









### Strong, durable & economical

Stencil pattern concrete is a system of adding colour, pattern and texture to a plain concrete slab at the time of pouring. The finished job has the attractive look of brick or stone with a contrasting grout line.

The primary surface colour of a stencil pattern concrete surface is achieved by working an oxide hardener into the concrete surface. This not only provides a deep colour, but also strengthens to give the surface more resistance to chipping and scratching than normal concrete.



### **DESIGN TIP**

Laying the stencil at a 45 degree angle allows you to achieve a different look.

Please ask your applicator about your options with the various patterns available.

### STAMPED IMPRESSION CONCRETE

### CONCRETE RESURFACING





## Stamped Impression Concrete makes an impression that lasts

Stamped impression concrete offers a distinctive and elegant look to your home.

Recreate the look of slate, or give your outdoor setting a contemporary stylish look using one of the various patterns available such as authentic brick, cobblestone or even timber deck stamps.

Consider your outdoor areas as an extension of your home and create adaptable living solutions for the way you live today. Choose from a wide selection of contemporary and traditional patterns combined with a comprehensive range of colours to add living dimension to your newly placed driveways, carports, entertainment areas, pool surrounds, patios, paths and other pavement areas.



### DESIGN TIP

You can create an attractive two-toned appearance by combining colours. Simply select a base colour and use a different colour release agent to achieve a look which emulates slate or even stone adding to the aesthetic appearance of your home.













### Changing the face of concrete

Resurfacing is designed to create a decorative finish on existing concrete surfaces. Our spray-on resurface coatings bond rigidly to existing suitable concrete surfaces and help create a slip resistant, textured, decorative surface with excellent durability and abrasion resistance.

Parchem's Covacrete Nxtgen system is widely chosen by top builders for their luxury display homes. Covacrete Nxtgen can transform your concrete surface with amazing results. Available in the latest colours, our concrete resurfacing products are sure to win you over.

Designed to be sprayed over existing concrete, our wide selection of colours will add that designer-edge to your property.



### DESIGN T

Complement the look of your home by using a base colour and then applying a different coloured fleck coat on top to create a simplistic and fashionable look.

DECORATIVE CONCRETE SOLUTIONS

WWW.PARCHEM.COM.AU

### COLOURED CONCRETE

### INTERNAL FLOORING





### Depth of colour

Coloured concrete is a high quality pigment blend that is mixed into concrete prior to pouring. This gives a depth of colour throughout the entire laid slab allowing for long term colour performance, even if surface scuffing or chipping occurs.

The wide range of natural colours available makes coloured concrete ideal for around the home and allows you to create your own style and look.



### **DESIGN TIP**

If you're considering an exposed aggregate driveway, then adding a Colour Thru base will enhance the look of your project. Colour Thru allows you to blend your surrounds perfectly.














### The ultimate in decorative flooring

Mastershield is our polymer flooring range and it is ideal for both domestic and commercial use giving a smooth seamless finish. It is a hard wearing surface which gives great strength and durability with fantastic design flexibility.

Design ideas are only limited by your imagination. With Mastershield, you can create floors to suit your every need - from a cutting edge feature floor to garage floors, home bars, entertainment areas, laundries and rumpus rooms.



### **FLAKE**


The Mastershield Flake is a coloured chip, available in a range of colours and two sizes, small and large. When added to Mastershield polymer base coat, top coat and sealer, it creates a unique flooring system.




DECORATIVE CONCRETE SOLUTIONS

WWW.PARCHEM.COM.AU


### STENCIL PATTERN SELECTIONS




**Block** Brick Size 398 x 192mm




**Brick** Brick Size 226 x 105mm



**European Fan** Av. Brick Size 130 x 100mm




**Ashlar Slate** Av. Brick Size 257 x 155mm



**Regal Tile** Tile Size 267 x 138mm




Cobblestone Av. Brick Size 235 x 126mm




**Cobble Rosette** 

Diameter 1.6m Av. Brick Size 165 x 78mm


**Edge Brick Header** Brick Size 225 x 105mm



**Rustic Brick** Av. Brick Size 230 x 140mm




**Bushrock** Av. Brick Size 230 x 225mm




**Basket Weave** Brick Size 195 x 90mm



Flagstone Av. Brick Size 250 x 180mm



**Random Bluestone** Av. Brick Size 197 x 140mm




**Antique Tile** Tile Size 264 x 264mm




Star Compass Diameter 1.6m (N,S,E,W Letters Available)




**Cobble Header** Brick Size 195 x 130mm



Mediterranean Rectangle 172 x 116mm




Classic Herringbone Av. Brick Size 195 x 90mm




8" Quarry Tile




Keystone Av. Brick Size 200 x 150mm




**English Cobble** Av. Brick Size 300 x 100mm




Large Tile Tile Size 264 x 264mm




Rosette Diameter 0.9m/1.6m/2.2m



**Brick Header Course** (Soldier Course) Av. Brick Size 195mm x 105mm



Convict Brick Av. Brick Size 240 x 237mm



10" Diamond Tile Tile Size 262 x 262mm, Diamond Size 100 x 100mm

Please note: the range of stencils & colours stocked will vary by location. Please contact your nearest store for stencil & colour availability.

(Av) = sizes within the stencil pattern may vary, therefore the average size is an indication only.



**Keystone Header** Av. Brick Size 180 x 100mm



Large Tile Header Brick Size 265 x 265mm

### **COLOUR HARDENERS & RESURFACING**



CS

CS

CS

Vintage Buff

Cream

Sandy Beige



CS

CS


CS



Coffee

Sandstone

White





CS

Burgundy



CS

CS

Black








CS











\* Silver Sands, Pearl Lustre & Blue Gum available in resurfacing only

P=FTRACHO10 L=RALCOF

P = Powder L = Liquid

Indicates colour available as Coloured Sealer

Available as "Order Only" 20L pre-tinted Sealer






P=FTRACOF10 L=RALCIN

PRECAUTIONS AND LIMITATIONS - Colours shown on this chart are to be used as a guide only. Colours illustrated are reproduced as closely as modern printing techniques allow. Brochures and display pavements are intended as an indication only. As the ingredients within this product are derived from natural sources, colours may vary from batch to batch. Variations in colour and shading may also

occur depending on the job conditions, chosen texture and finishing practices employed by your concrete contractor.



P=FTRANEU10 L=RALCL

Clear



Black

P=RAPBLA L=RALBLA





Grey P=FTRABLU10 L=RALBLU

Charcoal P=FTRACHA10 L=RALCHA


Please Note: The range of stocked colours will vary by location so please contact your nearest store for the range of colours available.

### COMBINATION PATTERN & COLOUR SAMPLES

# Colour: Bluestone Release: Charcoal



Bushrock Colour: Beige Release: Charcoal



ess Colour: Bluegum Release: Charcoal



Ashlar Slate Colour: Cream Cove Finish Release: Coffee Brown



Brindabella Colour: Bluestone Release: Charcoal





Walkway Slate Colour: Grey Release: Charcoal



Seamless Stamp with Colour: Cream Flander Weave Stencil Release: Neutral\*


### STAMP IMPRESSION SELECTION


















































Brick Border

Mix and match your choice of base colour with a release agent to achieve a unique finish reflecting your personal style.

Patterns shown are indicative only as stamp mats may vary from outlet to outlet & effects vary depending on the order & direction the mats are placed. Refer to your contractor for colour combinations, pattern selection & availability.

When purchasing stamp mats please allow a lead time of up to two weeks from purchase/order date.

Stamp mats are available for hire through all Parchem Construction Supplies branches.

### VISUALISE YOUR PROJECT

# STEPS TO YOUR NEW DECORATIVE CONCRETE PROJECT



Parchem has an online visualiser that allows you to play around with colours and styles to help you visualise your project.



You may also want to visit Parchem's trade stores to view some sample tiles and talk to our experts.

Visit www.parchem.com.au for our trade store locations or call us at 1300 737 787 for more information.

Planning your project is really important and a little bit of research and preparation will go a long way to help you get the best outcome. Here are some tips to help you deliver a successful decorative concrete project:



### Research & learn

Consider your environment and needs to help select the right application, style and colours for you. Look around your area, if you like someone's driveway, consider asking them about the contractor and the finish.



### Ready to go

Call or email several contractors in your area. Note response times



### Get written estimates

Consider timeliness and thoroughness of quotes. Discuss any special situations or requirements about you project.



### Compare "apples to apples"

Verify application procedures. Start dates and job duration. Verify all inclusions or omissions.



### Practice diligence

Check references, licensing and insurance.



### Sign the contract

No verbal agreements. Include payment schedule. Double check patterns and colours.



### Pay on time

Per the agreed payment schedule.

FAO'S

### ENJOYING YOUR SPACE



# How do I find the right contractor to install my driveway?

You can search online, local directories or ask people you trust for referrals. Alternatively, you may look at decorative concrete driveways in your neighbourhood and get the names of the contractors who installed the driveways that appeal to you most. Be sure to ask the homeowners about their experience with the contractor and the quality of the workmanship. Get references from friends, home builders or local ready-mix suppliers.

Once you come up with a list of contractors, be sure to ask for references and get a list of projects in your area that you can check out. Also ask how long the contractor has been in business, if they're insured, whether they have any professional certifications, and if they offer a warranty for their work.

### Do I need to seal my new concrete driveway?

You should apply a high-quality sealer to all exterior concrete slabs. The sealer helps protect the concrete from moisture absorption, exposure to chemicals, and grease and oil stains. On decorative coloured concrete, a sealer will also help enhance the colour . Regardless of the sealer you use, be sure it's applied according to the manufacturer's instructions.

### What if the colour isn't what I expected?

It's unrealistic to expect your contractor to precisely match the colour of your concrete driveway to a showroom sample, a neighbour's decorative concrete driveway, or a photo from a brochure. Even plain concrete can exhibit colour variations, especially if the project requires more than one load of concrete or if the concrete placements are made on different days. Most of these variations are minor and will fade over time.

### Can I get a warranty for my concrete driveway?

Yes! Many contractors will warrant their work, and you may be able to obtain an extended warranty. Speak to your contractor about this before signing up for the project.

### Is it hard to maintain?

No, it's not hard to maintain as long as you wash any contaminates of as soon as possible. Your supplier should provide you with maintenance and care instructions for your decorative concrete surface. Parchem has a maintenance and care flyer, contact us to request one.

### Where can I view samples?

A range of samples can be viewed at Parchem's trade stores located across the country. Visit our website to find locations or call 1300 737 787.

Refer to back page for locations



TO GO GREEN, INSIST ON A
WATER BASED SEALER FOR YOUR
CONCRETE SPACE.

Enjoy your decorative concrete space for years to come. Here are some tips for maintaining and caring for your decorative concrete surface.



Decorative Concrete has distinct advantages over other pavements and given the correct care and maintenance your new or resurfaced concrete will maintain its colour and appeal for future years.

Your new or resurfaced decorative concrete is treated with an acrylic sealer to help produce an attractive surface that is easier to clean and maintain than unsealed concrete. The sealer works by blocking the pores of the concrete, providing a protective layer that helps stop dirt becoming ingrained and helps achieve a more consistent look.

Acrylic sealers will wear over time, however, if well maintained you will maximise the lifetime and reduce the frequency of resealing. Under normal conditions resealing may be required every 18-24 months.

To ensure the maximum lifetime of your sealer and to keep your decorative surface looking like new it is recommended that periodic maintenance be carried out. Maintenance is as simple as removing foreign material and cleaning from time to time.

Due to the incompatibility of some sealers we recommend the use of Parchem Construction Supplies sealers only.

By combining the versatility and performance advantages of concrete with the decorative concrete appeal of Parchem Construction Supplies products, you have chosen the best of both worlds.

### Avoid

- Solvent based or chlorine based cleaners
- Car washing on pavement as some detergents and waxes can affect sealer
- Oil or petroleum based product spills
- Excessive leaf or organic litter (may stain)
- Traffic on abrasive materials
- Excessive dirt ingress

### Resealing

If your pavement looks 'faded', patchy or dull when dry but appears ok when wet – it is time to reseal. A simple test to determine if your pavement is due for resealing is to wet it. If the surface darkens and appears more consistent then resealing may be required. Always reseal with the appropriate sealer to suit your decorative surface, and to only apply to properly prepared and dry surfaces.

### Situation Solution

**Excessive dirt deposit** Clean dirt off (normal cleaning method). Pavement appears faded but is OK when wet Resealing may be required. Absorb spillage with absorbent material and Oil / petrol spills Remove with Sealer Prep (Tyre Mark Rubber or tyre marks Remover). Available at Parchem. Most cracking is non structural and is best left alone, as repairs are often difficult and unsightly. These cracks are unrelated to Cracks - Unfortunately, when control joints are the decorative surface and are due to the in place and precautions have been taken your nature of concrete. Structural cracking is concrete could still crack normally wider than 1.5mm and if necessary

White patches


Whitening may occur from time to time due to various reasons. Under normal circumstances whitening is not a common occurrence but if it does happen please contact your applicator or your nearest Parchem Construction Supplies Trade and Display outlet for assistance.

should be assessed by a qualified

Structural Engineer

DECORATIVE CONCRETE SOLUTIONS

WWW.PARCHEM.COM.AU



### **New South Wales**

Beresfield 02 4964 4277
Coffs Harbour 02 6652 3599
Narellan 02 4647 0623
Padstow 02 9771 6626
Penrith 02 4722 9259
\*Port Macquarie 02 6581 1221
Riverstone 02 9627 9133
Tuggerah 02 4352 2287
\*Tuncurry 02 6554 6422

### **Australian Capital Territory**

Wetherill Park 02 8781 2051

Fyshwick 02 6228 1313

### Queensland

Arundel 07 5500 5600
Brendale 07 3889 7600
Gladstone 07 4978 0128
Morningside 07 3902 2300
Springwood 07 3808 8133
Townsville 07 4779 4750

### **Victoria**

**Brunswick** 03 9380 2400 **Campbellfield** 03 9308 6133 **Dandenong** 03 8710 7000

### **Western Australia**

**Belmont** 08 6279 9799

### South Australia

Hindmarsh 08 8241 6000 \*Salisbury 08 8182 4044

### Tasman<u>ia</u>

Moonah 03 6278 7277

\*indicates agent of Parchem

The range of products will vary by location so please contact your nearest store for the range of products in stock.



www.parchem.com.au

Customer Service 1300 737 787